

SEARCH 619203

(FILE 'USPAT' ENTERED AT 12:52:38 ON 09 DEC 1997)

L1	2760 S	DISPLAY CONTROLLER
L2	7009 S	VIDEO DATA
L3	498 S	YUV
L4	5137 S	BUS INTERFACE
L5	13 S	DISPLAY MEMORY CONTROLLER
L6	766 S	LUMINANCE DATA
L7	2 S	CHROMINANCE DIFFERENCE DATA
L8	448 S	CONTIGUOUS BLOCK
L9	69 S	(BYTE LANE) OR (BYTE PLANE)
L10	372126 S	FRAME
L11	10 S	BIT BLOCK TRANSFER ENGINE
L12	8977 S	REPLICATE
L13	15 S	MEMORY CONFIGURATION REGISTER

SEARCH 610203

US PAT NO: 5,790,110 [IMAGE AVAILABLE] L21: 1 of 13
 TITLE: System and method for generating video in a computer system
 US-CL-CURRENT: 345/202, 154

US PAT NO: 5,742,298 [IMAGE AVAILABLE] L21: 2 of 13
 TITLE: 64 bit wide video front cache
 US-CL-CURRENT: 345/501, 193, 195, 467; 395/110

US PAT NO: 5,731,809 [IMAGE AVAILABLE] L21: 3 of 13
 TITLE: Adaptive display memory management system
 US-CL-CURRENT: 345/507, 516

US PAT NO: 5,526,025 [IMAGE AVAILABLE] L21: 4 of 13
 TITLE: Method and apparatus for performing run length tagging for increased bandwidth in dynamic data repetitive memory systems
 US-CL-CURRENT: 345/516, 507, 508

US PAT NO: 5,119,081 [IMAGE AVAILABLE] L21: 5 of 13
 TITLE: Control apparatus of image filing system
 US-CL-CURRENT: 345/132, 202, 428; 364/920.7, 926.1, 927.2, 927.63, 927.92, 927.93, 928, 929, 930, 930.42, 932, 932.62, 942.8, 952, 952.1, 952.31, 957, 957.1, 959.1, 965, 965.5, 976, 976.1, DIG.2; 707/526

US PAT NO: 5,113,180 [IMAGE AVAILABLE] L21: 6 of 13
 TITLE: Virtual display adapter
 US-CL-CURRENT: 345/515, 203

US PAT NO: 4,943,801 [IMAGE AVAILABLE] L21: 7 of 13
 TITLE: Graphics display controller equipped with boundary searching circuit
 US-CL-CURRENT: 345/191; 382/199

US PAT NO: 4,920,504 [IMAGE AVAILABLE] L21: 8 of 13
 TITLE: Display managing arrangement with a display memory divided into a matrix of memory blocks, each serving as a unit for display management
 US-CL-CURRENT: 345/517, 515, 516

US PAT NO: 4,833,625 [IMAGE AVAILABLE] L21: 9 of 13
 TITLE: Image viewing station for picture archiving and communications systems (PACS)
 US-CL-CURRENT: 345/439, 508; 378/98.2

US PAT NO: 4,825,390 [IMAGE AVAILABLE] L21: 10 of 13
 TITLE: Color palette having repeat color data
 US-CL-CURRENT: 345/150, 199, 431; 358/518; 382/167

US PAT NO: 4,799,053 [IMAGE AVAILABLE] L21: 11 of 13
 TITLE: Color palette having multiplexed color look up table loading
 US-CL-CURRENT: 345/199, 509

US PAT NO: 4,616,220 [IMAGE AVAILABLE] L21: 12 of 13

TITLE: Graphics display comparator for multiple bit plane
graphics controller

US-CL-CURRENT: 345/510, 133

US PAT NO: 4,484,187 [IMAGE AVAILABLE]

L21: 13 of 13

TITLE: Video overlay system having interactive color addressing

US-CL-CURRENT: 345/186, 199, 516

SEARCH 610203

US PAT NO: 5,731,809 [IMAGE AVAILABLE] L1: 1 of 9
 TITLE: Adaptive display memory management system
 US-CL-CURRENT: 345/507, 516

US PAT NO: 5,526,025 [IMAGE AVAILABLE] L1: 2 of 9
 TITLE: Method and apparatus for performing run length tagging for
 increased bandwidth in dynamic data repetitive memory
 systems
 US-CL-CURRENT: 345/516, 507, 508

US PAT NO: 5,113,180 [IMAGE AVAILABLE] L1: 3 of 9
 TITLE: Virtual display adapter
 US-CL-CURRENT: 345/515, 203

US PAT NO: 4,943,801 [IMAGE AVAILABLE] L1: 4 of 9
 TITLE: Graphics **display controller** equipped with boundary
 searching circuit
 US-CL-CURRENT: 345/191; 382/199

US PAT NO: 4,920,504 [IMAGE AVAILABLE] L1: 5 of 9
 TITLE: Display managing arrangement with a display memory divided
 into a matrix of memory blocks, each serving as a unit
 for display management
 US-CL-CURRENT: 345/517, 515, 516

US PAT NO: 4,833,625 [IMAGE AVAILABLE] L1: 6 of 9
 TITLE: Image viewing station for picture archiving and
 communications systems (PACS)
 US-CL-CURRENT: 345/439, 508; 378/98.2

US PAT NO: 4,825,390 [IMAGE AVAILABLE] L1: 7 of 9
 TITLE: Color palette having repeat color data
 US-CL-CURRENT: 345/150, 199, 431; 358/518; 382/167

US PAT NO: 4,799,053 [IMAGE AVAILABLE] L1: 8 of 9
 TITLE: Color palette having multiplexed color look up table
 loading
 US-CL-CURRENT: 345/199, 509

US PAT NO: 4,616,220 [IMAGE AVAILABLE] L1: 9 of 9
 TITLE: Graphics display comparator for multiple bit plane
 graphics controller
 US-CL-CURRENT: 345/510, 133

SEARCH 610203

US PAT NO: 5,793,996 [IMAGE AVAILABLE] L8: 1 of 1
TITLE: Bridge for interconnecting a computer system bus, an
expansion bus and a video frame buffer
US-CL-CURRENT: 395/309; 345/509, 511, 512, 520, 521, 526; 395/287, 290,
306, 307, 311, 847, 851, 857, 858